

Octreotide

Octreotide is a long-acting somatostatin analog with various indications. It is used acutely to help stop variceal bleeds. It is used for a wide range of hormone-secreting tumors, as this medication inhibits the secretion and activity of various endocrine hormones. It is helpful in growth hormone-secreting tumors, which may cause acromegaly or gigantism. Furthermore, octreotide is used to treat diarrhea in carcinoid tumors and VIPomas.



PLAY PICMONIC

Indications

Acute Variceal Bleeds

[Acute-angle Ferris-wheel Bleeding](#)

Octreotide is used to treat acute variceal bleeds, as this somatostatin-analog induces splanchnic constriction. This leads to decreased portal vessel pressure in bleeding varices.

Pituitary Tumors

[Pit-bull Tumor](#)

Octreotide inhibits the action of certain hormones from the anterior pituitary, such as TSH and GH. Thus, this medication is helpful in tumors producing TSH (thyrotropinoma) and GH (gigantism and acromegaly).

GH Secreting Tumors

[Giant with Harmonica and Tumor](#)

Octreotide is helpful in treating gigantism and acromegaly, as this medication inhibits the secretion of GH from the anterior pituitary.

Carcinoid Tumors

[Cars-in-droid Tumor](#)

This medication is helpful in carcinoid syndrome, as octreotide decreases the secretion of serotonin by the tumor and decreases the breakdown product of serotonin.

VIPoma

[VIP-gnome](#)

Octreotide is used to control the diarrhea associated with VIPomas, as this medication blocks the secretion and action of vasoactive intestinal peptide (VIP).

Mechanism

Somatostatin Analog

[Sumo-Santa On-a-log](#)

Octreotide is a long-acting octapeptide which mimics somatostatin, a natural hormone which inhibits several endocrine processes.