


## Aromatase Inhibitors

Aromatase inhibitors are drugs used in women who are post-menopausal with breast cancer. These medications are taken to either block the production of estrogen or block the action of estrogen on receptors.



PLAY PICMONIC

### Indications

#### Estrogen Receptor-positive (ER+) Breast Tumors

##### (+) Positive Easter-egg Receptor with Breast Cancer ribbon

These drugs treat estrogen receptor-positive (ER+) breast tumors, as they require estrogen to grow. By blocking estrogen production or its action on receptors, these tumors can be treated. These drugs also have **action on ovarian tumors** in postmenopausal women.

#### Systemic Metastases

##### Systemic Metastasis-mitts

These drugs are often used to treat systemic metastases of ER-positive breast tumors, which preferentially spread to the liver, lungs, brain and bones. Other uses include treating ovarian cancers and preventing gynecomastia in men.

### Drugs

#### Reversible, non-steroid

##### Reversing on Nun-steroid-stairs

Non-steroidal inhibitors, such as **anastrozole** and **letrozole**, inhibit the synthesis of estrogen via reversible competition for the aromatase enzyme.

#### Letrozole

##### Lighter-troll

Letrozole is a non-steroidal aromatase inhibitor for the treatment of hormonally-responsive breast cancer after surgery. It works via reversible inhibition.

#### Anastrozole

##### A-News-troll

Anastrozole is an aromatase-inhibiting drug indicated for treatment of breast cancer after surgery, as well as for metastasis in both pre and post menopausal women. It is non-steroidal and works via reversible inhibition.

#### Irreversible, steroid

##### Locked on Steroid-stairs

Irreversible steroidal inhibitors, such as **exemestane**, forms a permanent and deactivating bond with the aromatase enzyme.

## Exemestane

[Eggs-in-mustang](#)

Exemestane is an oral steroidal aromatase inhibitor that is used in ER-positive breast cancer in addition to surgery and/or radiation in postmenopausal women.

## Side Effects

### Osteoporosis

[Ostrich-with-porous-bones](#)

Estrogens have a positive effect on bone metabolism by stimulating bone growth and inhibiting bone resorption, so their depletion in patients with endocrine-responsive breast cancer leads to increased bone demineralization and finally **osteoporosis** occurs.

### Arthritis

[King-Arthur](#)

The use of aromatase inhibitors is also linked with the development of arthritis, while also causing arthralgias and arthrosis.