

## Humoral Adaptive Immunity

Humoral adaptive immunity is the immune system's process of producing antibodies in response to specific infections. The main cells involved in humoral immunity are B cells. They wait in lymph nodes until they see free floating antigen and bind to it. They then present the antigen to helper T cells. The T cells bind to the antigen and release cytokines, which help B cells mature and proliferate. Memory B cells live for a long time in lymph nodes and proliferate upon secondary infection from a previous antigen. Plasma B cells are the activated primary response, and secrete large volumes of antibodies to bind to antigens of foreign cells and recruit phagocytic molecules.



PLAY PICMONIC

### Characteristics

#### B Cell Binds Free Floating Antigen

##### [Basketball Picking Up Floating Ant-gem](#)

The humoral immunity process begins when a B cell binds to a free floating antigen in the lymph. B cells wait in the lymph node until antigen exposure.

#### B Cell Presents Antigen to Helper T Cell

##### [Basketball Presenting Ant-gem to Helper Tennis-ball](#)

The B cell presents the antigen to type II helper T cells, so that the helper T cells can stimulate the B cells into proliferation and antibody production.

#### Helper T Cells Help B Cells Develop Antigen Specificity

##### [Helper Tennis-ball Matching Receptor to Ant-gem for Basketball](#)

Helper T cells express CD4 on the surface rather than CD8, which is expressed by killer T cells. The helper T cell binds to the presented antigen on the B cell receptor through the MHC-II complex. This causes cytokine release that stimulates the B cell to become active and produce antibodies specific to the presented antigen.

#### Plasma B Cells Secrete Antibodies

##### [Plasma-TV Basketball Shooting out Ant-tie-bodies](#)

Plasma B cells are the active B cells that produce large amount of antibodies upon primary infection. They will eventually die, unlike memory cells which can last for the lifetime of an organism.

#### Memory B Cells Cause Faster Secondary Response

##### [Brain Basketball Sending Second Basketball Running](#)

Memory B cells stay in the lymph nodes and wait to be re-exposed to the same antigen that previously infected the body. Upon exposure to that antigen, they proliferate rapidly and produce large amounts of antibodies for that antigen.